



SFW/1761

PTO/SB/21 (09-06)  
Approved for use through 03/31/2007. OMB 0651-0031  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>TRANSMITTAL FORM</b>  (to be used for all correspondence after initial filing)	Application Number	10/595,557
	Filing Date	April 27, 2006
	First Named Inventor	Milo et al.
	Art Unit	Unknown
	Examiner Name	Unknown
Total Number of Pages in This Submission		Attorney Docket Number 112701-719

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Change of Correspondence Address	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input checked="" type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Reply to Missing Parts/Incomplete Application	<input type="checkbox"/> Landscape Table on CD	
<input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<b>Remarks</b> Certified Copy of EP 03024638.3 Return Receipt Postcard	

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
Firm Name	Bell, Boyd & Lloyd LLC		
Signature			
Printed name	Robert M. Barrett		
Date	December 11, 2006	Reg. No.	30,142

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:			
Signature			
Typed or printed name	Heather Foster	Date	December 11, 2006

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Milo et al.  
Appl. No.: 10/595,557  
Filed: April 27, 2006  
Conf. No.: 2772  
Title: FERMENTED COFFEE BEVERAGE  
Art Unit: Unknown  
Examiner: Unknown  
Docket No.: 112701-719

Mail Stop  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**SUBMISSION OF CERTIFIED COPY OF PRIORITY DOCUMENT**

Applicants are respectfully enclosing the certified copy of the priority document for which priority is claimed for the above-identified application under 35 U.S.C. §119. Specifically, the document enclosed is:

<u>Document No.</u>	<u>Country</u>	<u>Date</u>
03024638.3	Europe	October 27, 2003

The Commissioner is hereby authorized to charge deposit account 02-1818 for any fees which are due and owing.

Respectfully submitted,

BELL, BOYD & LLOYD LLC

BY

Robert M. Barrett  
Reg. No. 30,142  
Customer No.: 29157

Dated: December 11, 2006





**Europäisches  
Patentamt**

**European  
Patent Office**

**Office européen  
des brevets**

**Bescheinigung**

**Certificate**

**Attestation**

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

**Patentanmeldung Nr.    Patent application No.    Demande de brevet n°**

03024638.3

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

**R C van Dijk**



Anmeldung Nr:  
Application no.: 03024638.3  
Demande no:

Anmeldetag:  
Date of filing: 27.10.03  
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

NESTEC S.A.  
Avenue Nestlé 55  
1800 Vevey  
SUISSE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:  
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.  
If no title is shown please refer to the description.  
Si aucun titre n'est indiqué se référer à la description.)

Fermented beverage

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)  
revendiquée(s)

Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/  
Classification internationale des brevets:

A23F/

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of  
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL  
PT RO SE SI SK TR LI



NO6921

Patent Application

Title: Fermented Beverage

Inventors: Philippe Duboc  
Christian Milo

GE 27.10.03 14:07

### Field of the Invention

5 This invention relates to a soft drink or beverage, a beverage base and a process for making such a beverage or beverage base. In particular the invention relates to a beverage with a fermented coffee component.

### Background to the Invention

10 Ready-to-serve coffee-based beverages are becoming increasingly popular. Very often, these beverages contain milk solids or a whitener. Apart from providing a beverage having an appearance and taste similar to that of whitened coffee, the milk solids or whitener performs the function of masking some of the harsher flavors, which may arise in ready-to-drink coffee beverages. However, coffee beverages, which contain milk solids or a whitener, are perceived to be less  
15 refreshing than black coffee beverages. In addition coffee aroma rapidly deteriorates. This is due to reactions of aroma compounds with each other but also with the coffee solids in the extract, a phenomenon described in the scientific literature.

20 It is well known to use micro-organism such as yeast, lactic acid bacteria or acetic acid bacteria in the fermentation of food products to generate aroma in foods. Fermentation is generally used in the beverage industry in the production of alcoholic beverages and in order to develop the flavours of the beverage. Although fermentation has also been used for the generation of flavours primarily, some alcohol generation usually takes place.

25 A fermented coffee beverage is described in European Patent Application BP 0791296. It relates to a beverage based on fermented sugar-containing aqueous extracts of tea or coffee. Disclosed is a process for preparation of a fermented drink under simple conditions and in a relatively short preparation time allowing the production of a fermented drink in large quantities. The fermentation process  
30 makes use of a combination of yeast and bacteria. The beverage process has been found to develop small amount of alcohol. Although small, this is for certain application e.g. the in the production of soft drinks undesirable.

35 US 4,867,992 discloses a process for producing natural buttery flavour and winery flavour by fermenting a coffee substrate with yeast or bacterial strain. The objective of US 4,867,992 is to develop buttery aroma by fermentation to enhance

GE 27.10.03 14:07



-2-

NO6921

the dairy notes of beverages, e.g. coffee. This type of aroma is not desirable for the present invention, as it does not provide a refreshing note to the beverage.

JP 04278072 relates to a yeast-fermented liquid coffee extract containing sugar. The final product contains about 0.2% alcohol. Non-alcoholic fermented coffee beverages could be obtained if the process employs aeration during the fermentation with the yeast. However this would result in stripping the aroma off, and a final product, which is low in coffee aroma.

There is a need for new product concepts in the category of soft drink and ready-to-serve coffee based beverages. In particular there is a need for new refreshing and stimulating drinks. There is also a need for a refreshing and stimulating beverage in which harsher flavours and aromas are reduced. The invention aims at providing such a product. The invention also aims at providing a beverage, which is stimulating and has a fresh aroma with reduced aroma change during storage. Further the invention aims at providing a fermented coffee beverage, which has a high level of coffee aroma.

The traditional fermented products in the beverage industry are alcoholic drinks. The present invention aims at providing an alternative beverage to alcoholic drinks.

The invention also aims at presenting beverage in a new format.

#### Summary of the Invention

Accordingly, in one aspect, the invention provides a coffee beverage base being substantially non-alcoholic and comprising a fermented coffee component comprising coffee aroma, which fermented coffee component, has a modulated coffee aroma with fruity and/or floral notes due to the fermentation of the coffee aroma. This beverage base can be used for preparing a carbonated beverage having appearance of certain types of beers.

The invention provides a new stimulating and refreshing beverage, which may be based on natural coffee only. The product of the invention is an attractive non-alcoholic beverage.

It is surprisingly found that the fruity and/or floral notes can be generated, thus providing a beverage with a unique aroma signature wherein harsh coffee

GE 27.10.03 14:07

-3-

NO6921

5 aroma is balanced with the fruity and/or floral aroma notes. Further, it has surprisingly been found that it is possible to provide a beverage base comprising a fermented coffee component which has a modulated coffee aroma and which is a non-alcoholic drink while at the same time retaining the coffee character of the coffee component. The beverage is refreshing due to its unique aroma profile and stimulating due to the caffeine content in the beverage.

10 An additional advantage is that a beverage may be provided which although fermented does not comprise acetic acid in amounts higher than what was already in the coffee base. Thus, such beverage has not the some times unpleasant acidic taste found in some fermented beverages.

In the present context substantially non-alcoholic coffee base means a coffee base that comprises less than 0.05 %, preferably less than 0.01% alcohol or no alcohol at all. Alcohol here refers to ethanol or ethyl alcohol.

15 Further, in the present context a coffee beverage "base" is a component, which can be used for making a beverage. For example, the coffee beverage base can typically be reconstituted e.g. by the addition of a cold or hot liquid in order to form the final beverage.

20 The fermentation according to the invention provides fruity and/or floral notes to the coffee aroma. The fruity and/or floral notes can be perceived in the headspace above a prepared beverage. The fruity and/or floral aroma is reflected in a new aroma profile in which several compounds are changed, and which give a shift in the overall perception of that beverage aroma. It has been found that  
25 aldehydes like 2 and 3-methylbutanal due to the fermentation are substantially completely converted into their corresponding alcohols, thiol compounds like methanethiol and furfurylthiol are converted into their corresponding thioacetates and diketones are largely reduced to their corresponding acetoin. The occurrence of these new compounds can be easily measured by conventional headspace  
30 analysis using Solid Phase Microextraction (SPME) sampling. The level of these compounds is preferable above 50% of the level of the compound that has been transformed, more preferable above 80%.

35 The coffee component are preferably selected from the group consisting of coffee extract, coffee aroma, coffee extract from which a portion of coffee aroma has been removed. Coffee aroma is the volatile compounds of coffee

GB 27.10.03 14:07

-4-

NO6921

5 grounds or coffee extracts. The coffee aroma is preferable an aqueous coffee  
aroma. The aqueous coffee aroma may be a distillate of coffee aroma compounds  
from coffee grounds or from coffee extracts or obtained by any other process  
known to the man skilled in the art of recovering aroma from natural sources and  
put in an aqueous media. For example the coffee aroma may be obtained from  
coffee pressing.

10 It has surprisingly been found that the coffee beverage base of the invention  
shows improved aroma stability compared to non-fermented products. It is  
believed that the coffee aroma compounds which are known to be highly reactive  
or unstable compounds are converted to less reactive or unreactive species or  
products stable under storage conditions due to the fermentation process.

15 The beverage base of the invention may be a liquid beverage concentrate e.g.  
a syrup, or a soluble beverage concentrate, e.g. in powder or tablet form. The  
invention also relates to a ready-to-drink beverage comprising a beverage base as  
described in this patent application.

20 The beverage according to the invention has the benefits of being both  
refreshing and stimulating, and improved stability upon storage. It is refreshing  
due to its unique aroma modulation and stimulating due to caffeine content in the  
beverage. However, if desired a beverage which is de-caffinated is also an option.  
Conventional de-caffeinating technologies may be employed for this purpose.

25 If desired the coffee beverage base could have foam properties to provide a  
foaming beverage upon preparation of the beverage. For example, the coffee  
beverage base may be gassed by injecting a gas such as air, nitrogen or carbon  
dioxide into it. Alternatively, the beverage may be gassed upon reconstitution.  
Conventional technology may be used for both purposes. The invention thus  
provides an attractive non-alcoholic alternative to beer. At the same time the  
30 invention provides a beverage, which is both refreshing and stimulating. In a  
particular preferred embodiment of the invention the beverage base when prepared  
for consumption comprises a foam upper surface. Preferably the beverage base or  
the beverage made from it is gassed or carbonated. Foam is then created when the  
beverage is poured into a glass to provide a beverage, which also visually  
35 assimilate beer. It can be poured like a beer; it looks like a beer, but also has the  
stimulating effect of coffee.

GE 27.10.03 14:07

In another aspect, this invention provides a process for providing a coffee beverage base, the process comprising  
providing a coffee component comprising coffee aroma,  
5 providing a micro organism with an ability to ferment,  
inoculating the coffee component with the micro-organism,  
subjecting the incubated coffee component to fermentation at a temperature below 22°C to generate a fermented coffee component that has a fruity and/or floral note due the fermentation of the coffee aroma, while controlling the  
10 fermentation conditions to substantially prevent the generation of alcohol and provide a substantially non-alcoholic coffee beverage base.

The micro-organism used for the fermentation may be either a strain of lactic acid producing bacteria or yeast capable of producing fruity and/or floral notes.  
15 The coffee component is preferable selected from the group of coffee components discussed above. The temperature for fermentation must be below 22°C. It has been found that above 22°C the micro-organism, in particular yeast strains start to produce ethanol at a rate high enough to accumulate detectable levels during incubation period. This is particular undesirable for the products of the invention.  
20 Further details on the process of the invention are given below.

In a further embodiment, the invention relates to a fermented coffee aroma has a fruity and/or floral notes due to the fermentation of the coffee aroma, wherein an aroma being characterised by its ratio of 2-and 3-methylbutanol over 2-  
25 and 3-methylbutanal being more than 1. Preferably the fermented coffee aroma also has a ratio of thioacetates over thiols being more than 0.5. A coffee aroma of this type may be used for aromatising coffee beverages and other beverages such as e.g. tea.

### Detailed Description of Preferred Embodiments of the Invention

Embodiments of the invention are now described, by way of example only.

35 The micro-organism used for the fermentation is either a strain of lactic acid producing bacteria or yeast capable of producing fruity and/or floral aroma notes.

GE 27.10.03 14:07

Yeast has been found to be particular suitable for the present application. The preferred yeast is yeast which may develop a desirable fruity flavour and which are food grade. The yeast may preferably be selected from the group consisting of

5 *Saccharomyces cerevisiae*, *S. bayanus*, *S. carlsbergensis*, *S. exiguus*, *S. uvarum*, *Kluyveromyces marxianus*, *K. lactis*, *Brettanomyces spp.* *Aureobasidium pullulans*, *Candida stellata*, *C. krusei*, *Cryptococcus*, *Hanseniaspora uvarum*, *H. osmophilia*, *Issatchenkia orientalis*, *Kloeckera spp.*, *Kloeckera apiculata*, *Kloeckera javanica*, *Metschnikowia spp.*, *Metschnikowia pulcherrima*, *Pichia spp.*, *Pichia anomala*,

10 *Saccharomycodes ludwigii*, *Zygosaccharomyces bailii* or a combination thereof.

The strength and type of fruity and/or floral aroma notes the microorganism is capable to impart during the fermentation varies depending on the microorganism and fermentation conditions chosen. Thus, if a particular strong

15 modulation of the coffee aroma is desired certain micro organism may be selected for the fermentation.

As mentioned above the coffee component is preferably selected from the group consisting of coffee extract, coffee aroma, coffee extract from which a

20 portion of coffee aroma has been removed.

Coffee extract may be produced in conventional manner by subjecting roasted coffee beans to extraction. Any suitable extraction procedure may be used because the choice and design of the extraction procedure is a matter of preference and has no critical impact on a serving of the invention. Suitable extraction

25 procedures are described in European patent applications 0 826 308 and 0 916 267, the discussion of which is incorporated by reference. Similarly, any suitable concentration procedure may be used because the choice and design of the concentration procedure is a matter of preference and has no impact on a serving of the invention. Of course, the coffee liquor may also be prepared by dissolving

30 soluble coffee powder in water to the desired concentration.

In the production of soluble coffee, merely processing the roasted coffee beans to a coffee base concentrate as described above will result in the loss of substantially all coffee aroma. Therefore, it is preferred to specifically strip off and

35 then collect the coffee aroma during processing. In this way, the coffee aroma is not lost. The coffee aroma for the purpose of this invention may be coffee aroma

GE 27.10.03 14:07

-7-

NO6921

distillate originating from such a collection.

Processes for stripping off and collecting the coffee aroma are well known. Usually coffee aroma is stripped off at one or more stages, for example using an inert gas or steam during, or immediately after, grinding of the coffee beans and using steam to strip coffee aroma from the coffee extract during extraction.

Alternatively, the fresh coffee grounds may be slurried in water or coffee extract and the coffee aroma stripped from the slurry. A suitable procedure is described in International patent application PCT/EP99/00747, the disclosure of which is hereby incorporated as reference.

The coffee aroma may be captured using any suitable procedure. Ordinarily, the coffee aroma is captured by condensing it from the carrier gas in one or more condensers. Preferably, more than one condenser is used; each succeeding condenser being operated at a lower temperature than the previous condenser. If necessary or desired, one of the condensers may be a cryogenic aroma condenser. A suitable cryogenic aroma condenser is described in US patent 5,182,926; the disclosure of which is hereby incorporated as reference. The captured coffee aroma may, if desired, be concentrated using a suitable technique such as partial condensation or rectification. The captured coffee aroma may be combined with a suitable carrier substrate such as coffee oil or emulsion containing coffee oil or other fats. Aqueous coffee aroma components and organic coffee aroma components are then separated.

A beverage base according to the invention may comprise at least 0.2 % coffee solids by weight of the beverage base and at least 5 ppm fermented coffee aroma components by weight of the beverage base. It is preferred that the beverage base comprises between 0.01% and 2% coffee aroma, more preferably between 0.05 and 0.4% of coffee aroma by weight of coffee solids in the beverage base. This result in a beverage base which when reconstituted provides a beverage with a strong modulated coffee aroma with fruity and/or floral aroma notes. The coffee aroma of the beverage base is characterised by its unique aroma signature in which the concentration of aroma compounds has been significantly changed by the fermentation process as compared to the initial coffee aroma profile. This is shown below in Table 1 for 2 different yeast strains.

GE 27.10.03 14:07

-8-

NO6921

Table 1:

	Change in aroma concentration [%] by fermentation relative to untreated coffee aroma distillate =			
Yeast	C20		EC1118	
Sugar	Glucose	Fructose	Glucose	Fructose
dimethylsulfide	102%	102%	95%	84%
methylthioacetate	576%	563%	477%	416%
2-methylbutanol	<1%	<1%	<1%	<1%
3-methylbutanol	<1%	<1%	<1%	<1%
2,3-pentanedione	3%	3%	3%	3%
2-vinylfuran	48%	52%	52%	49%
N-methylpyrrole	85%	84%	75%	62%
pyridine	28%	18%	16%	17%
2,6-dimethylpyrazine	80%	92%	85%	103%
2-furfurylmethylsulfide	67%	66%	73%	73%
furfurylthiol	1%	<1%	1%	1%
furfurylthioacetate	766%	696%	547%	550%
N-furfurylpyrrole	57%	51%	64%	63%
4-vinylguaiacol	47%	46%	57%	64%

5 In a preferred embodiment of the invention the coffee aroma component is coffee aroma distillate.

10 In a preferred embodiment of the invention the beverage base comprising an aroma being characterised by its ratio of 2-and 3-methylbutanol over 2-and 3-methylbutanal being more than 1, preferably being more than 50. Furthermore, the aroma is characterised by its ratio of thioacetates over thiols being more than 0.5, preferably more than 5. This provides a unique aroma profile to the coffee beverage.

GB 27.10.03 14:07

For further aromatisation of the beverage base it may be desirable to add artificial aroma. Examples of aromas, which have been found to complement the beverage base, are aromas such as fruity, berries, honey, beer, fermented fruits or "eau de vie" flavours.

5

It will also be appreciated that the beverage base of the present invention may also be provided by using only artificial fermented coffee aromas.

10 Other ingredients may be added to the beverage base in addition to the liquid form the final beverage. Such ingredients are e.g. sugars and sugar substitutes, organic acids to modulate the taste perception and buffering salts like phosphates and their analogues.

15 In a specific embodiment of the invention the beverage base has foam properties to allow foam to be created on the upper surface of the beverage when prepared. The beverage according to the invention may be both carbonated, gassed or and plain beverages. In a particular preferred embodiment of the invention the beverage comprises foam such as "beer-like" appearance, colour, volume, texture and stability. The foam may be obtained by carbonation, gassing or by adding  
20 foaming agents to the beverage, and can be favoured by addition of surfactant such as saponin.

Fermentation of the beverage base may result in an opaque beverage. If this is considered undesirable the clear beverage may be subjected to centrifugation.

25

The fermentation process of the current invention also results in a conversion of Strecker aldehydes to corresponding alcohols and thiols (furfurylthiol, methylthiol) into thioacetates. It has been found that during storage test at 37°C these compounds were stable for several weeks whereas the aldehydes and thiols  
30 rapidly disappeared. Although Strecker alcohols and thioacetates may have somewhat different odour characteristics than the aldehydes and thiols they are originating from, coffee identity was maintained.

35 As mentioned above the fermentation of the coffee component takes place below 22°C to avoid the generation of alcohol. Further it is preferred that the fermentation temperature is above 8°C. It has been found that below 8°C many

GE 27.10.03 14:07



-10-

NO6921

micro organisms e.g. yeast has a metabolic activity, which is so low that synthesis of new compounds, would require long incubation times.

According to the invention the development of alcohol during the fermentation can be inhibited in particular by controlling the temperature and duration of fermentation, selecting suitable yeast or bacterial strains and this allows the production of a beverage base, which comprises substantially no alcohol. Surprisingly, the fermented beverage obtains a particular desirable aroma under these process conditions. For example, a pleasant fruity and/or floral aroma, which in a pleasant way complement the coffee aroma.

10

Another advantage of the process of the invention is that it allows a fermented beverage to be generated in a relatively short fermentation process. Fermentation processes are generally known to be extensive due to long time the fermentation process takes e.g. in the range of 15 to 27 hours. The fermentation process of the present invention may take less than 8 hours, preferably less than 6 hours but more than 4 hours in order to avoid ethanol formation while allowing development of fruity aroma and conversion of some coffee aroma compounds.

15

The fermentation process of the invention is preferable carried out without aeration. Aeration results in a stripping off of the aroma compounds. It has been found that contrary to what has been conventional that the fermentation can be run satisfactory without aeration.

20

Advantageously the coffee component is supplemented with a carbohydrate effective to enhance the fermentation. For example sugar may advantageously be added to the coffee beverage base before fermentation. The sugar added e.g. to coffee extract has been found to have a substantial impact on the aroma production. In absence of sugar only a weak yeast aroma is generated. Preferably, at least 0.5 % of sugar is added based on the weight of the product to be fermented. More preferably, from 0.5 to 20 % of sugar is added. In the present context sugar is e.g. glucose, sucrose or fructose or a combination thereof, or any sugar that can be metabolised by the selected yeast strain.

25

30

The flavour and aroma character of the beverage base according to the invention may differ depending on which fermented coffee component is selected. Coffee extract with coffee aroma and coffee extract from which a portion of coffee

35

GE 27.10.03 14:07

5 aroma has been removed will have a more or less pronounced fruity and/or floral note due to the relatively amounts of coffee aroma in the extract. Further, the sweetness of the product will differ if the beverage base has been supplemented with carbohydrate, e.g. sugar as discussed above. The amounts of carbohydrates added preferably dependent on the volume to be fermented. Thus, the sweetness of the final beverage will depend on the amount of the beverage base that has been subjected to fermentation. For example, if only the coffee aroma distillate has been fermented, it constitutes relative small amount of the final beverage, which has been sweetened, and the final product will be less sweet. On the other hand more  
10 sugar will be present in a final beverage prepared from a beverage base being a coffee extract.

In a preferred embodiment the coffee beverage base of the invention only the coffee aroma distillate is fermented. This beverage base will provide for a less sweet final beverage compared to the beverage bases based on coffee extract.  
15 Further, this beverage base will be strong in fruit and/or flavour notes. More or less beverage base can be used in the final product to provide the desired strength of these components. Further, the sweetness of the product can be adjusted by simply adding more or less sweetener to the beverage base following the fermentation. This allow for a tailoring of the final coffee beverage product.

20 A specific examples further illustrates the invention.

#### Example 1 – Preparation of Coffee Beverage Base

25 Roasted coffee extract was prepared in conventional manner. Incubation the roasted coffee extract was incubated for 6-8 h with live yeast cells led to formation of pleasant fruity aromas. Neither ethanol nor acetic acid was formed. The vessel was not aerated in order to avoid foaming, and stripping of coffee and fermentation  
30 aromas.

Several *Saccharomyces cerevisiae* and *S. bayanus* strains were tested and *S. cerevisiae* Castelli Ceppo 20 was selected for further trials. The fermentation was success-fully performed at 200-L scale at PTC/Orbe with B1 coffee extract supplemented with 5% sucrose. During fermentation temperature was maintained  
35 at 20°C.

GE 27.10.03 14:07

-12-

NO6921

5 After bio-transformation, centrifugation, carbonation and pasteurisation, a beverage having desired characteristics of coffee flavour, dense foam and unique aroma signature was obtained. Several aromatic compound brought by yeast were identified and could be related to carbon metabolism and redox balance of the cells. Fermentation of coffee distillate led to generation of aroma, which was perceived after coffee reconstitution. By comparison fermentation of coffee base led to weaker aroma generation. Fermented coffee extract was successfully dried as powder after aroma stripping.

GE 27.10.03 14:07

Claims

1. A coffee beverage base being substantially non-alcoholic and comprising a  
5 fermented coffee component comprising coffee aroma, which fermented coffee  
component, has a modulated coffee aroma with fruity and/or floral notes due to the  
fermentation of the coffee aroma.
2. A beverage base according to claim 1, wherein the coffee component are  
10 selected from the group consisting of coffee extract, coffee aroma, coffee extract  
from which a portion of coffee aroma has been removed.
3. A beverage base according to claim 2, wherein the coffee aroma is a distillate  
of coffee aroma from coffee grounds or from coffee extracts.
- 15 4. A beverage base according to any of the preceding claims, which comprises  
at least 0.2 % coffee solids by weight of the beverage base.
5. A beverage base according to any of the preceding claims, which comprises  
20 between 0.01% and 2% coffee aroma by weight of coffee solids in the beverage  
base.
6. A beverage base according to any of the proceeding claims wherein the  
beverage base is fermented.
- 25 7. A beverage base according to claim 7, wherein the beverage does not have an  
increased level of acetic acid resulting from fermentation.
8. A beverage base according to any of the proceeding claims, the beverage  
30 base comprises an artificial fermented coffee aroma component.
9. A beverage base according to any of the proceeding claims, the beverage  
base comprising an coffee aroma being characterised by its ratio of 2-and 3-  
methylbutanol over 2-and 3-methylbutanal being more than 1.
- 35

GE 27.10.03 14:07

-14-

NO6921

10. A beverage base according to any of the proceeding claims, the beverage base comprising an coffee aroma being characterised by its ratio thioacetates over thiols being more than 0.5.
- 5 11. A beverage base according to any of the proceeding claims having foam properties to allow foam to be created on the upper surface of the beverage when prepared.
- 10 12. A beverage base according to any of the proceeding claims, wherein the beverage base is a liquid beverage concentrate or a soluble beverage concentrate.
13. A ready-to-drink beverage comprising a beverage base according to any of the claims 1 to 12.
- 15 14. A process for providing a coffee beverage base, the process comprising providing a coffee component comprising coffee aroma, providing a micro-organism with an ability to ferment, inoculating the coffee component with the micro-organism, subjecting the incubated coffee component to fermentation at a temperature
- 20 below 22°C to generate a fermented coffee component that has a fruity and/or floral note due the fermentation of the coffee aroma, while controlling the fermentation conditions to substantially prevent the generation of alcohol and provide a substantially non-alcoholic coffee beverage base.
- 25 15. A process according to claim 14, comprising supplementing the coffee component with carbohydrate effective to enhance the fermentation process.
16. A process according to any of claims 14 or 15, wherein the fermentation temperature is between 5 and 22°C, preferably from 8 to 22°C.
- 30 17. A process according to any of claims 14 to 16, wherein the time of the fermentation is from 4 to 8 hours, preferably from 4 to 6 hours.
- 35 18. A fermented coffee aroma having fruity and/or floral notes due to the fermentation of the coffee aroma, wherein the aroma is characterised by its ratio of 2-and 3-methylbutanol over 2-and 3-methylbutanal being more than 1.

GE 27.10.03 14:07

-15-

NO6921

19. A fermented coffee aroma according to claim 18, wherein the coffee has a ratio of thioacetates over thiols being more than 0.5.

5

GB 27.10.03 14:07

-16-

NO6921

**Abstract**

The invention relates to a coffee beverage base being substantially non-alcoholic and comprising a fermented coffee component comprising coffee aroma, which  
5 fermented coffee component, has a modulated coffee aroma with fruity and/or floral notes due to the fermentation of the coffee aroma. Further the invention relates to a ready-to-drink coffee beverage which when prepared for consumption form a beer like beverage with a foam. The invention also relates to a process for making such products.

10

GE 27.10.03 14:07

**THIS PAGE BLANK (USPTO)**